
Sensor-switched outdoor light



Article number 566814





Function description

Ambience lighting squared. Designer sensor-switched outdoor light L 20 S, ideal for building entrances and building fronts, 180° angle of coverage, reach up to 10 m, selectable time and twilight threshold, sensor tilts through 90° for exact adjustment of the detection zone, stainless-steel trim panel.

Technical specifications

Dimensions (L x W x H)	85 x 230 x 250 mm	Mounting height max.	3,00 m
With lamp	No	Slave modeselectable	No
Manufacturer's Warranty	3 years	Sneak-by guard	Yes
Settings via	Potentiometers	Capability of masking out individual	Yes
With remote control	No	segments Electronic scalability	No
Version	Stainless steel		
PU1, EAN	4007841566814	Mechanical scalability	No
Application place	Outdoors	Reach, radial	$r = 3 m (14 m^2)$
Application, place		Reach, tangential	r = 10 m (157 m ²)
Application, room	outdoors, front door, all round the building, terrace / balcony, courtyard	Photo-cell controller	Yes
	& driveway	Reach, tangential	sticker
Installation site	wall	Lamp	All-purpose lamp
Impact resistance	IK07	Base	E27
IP-rating	IP44	Soft light start	No
Protection class	II	Twilight setting	2 – 2000 lx
Ambient temperature	-20 - 40 °C	Time setting	8 s – 35 Min.
Housing material	Stainless steel	Basic light level function	No
Cover material	Plastic, opal	Interconnection	No
		5	

https://www.steinel.de

Subject to technical modifications

04.2023 Page 1 from 3

Sensor-switched outdoor light

L 20 S

Stainless steel EAN 4007841 566814 Article number 566814



Technical specifications

Mains power supply	230 – 240 V / 50 Hz	Optimum mounting height	2 m
Output	60 W	Detection angle	180 °
Power consumption	0,55 W		

Accessories

EAN 4007841 006334

Replacement shade for L 20 S


Sensor-switched outdoor light

L 20 S

Stainless steel EAN 4007841 566814 Article number 566814



Detection Zone



Possible mounting height: 1,80 m - 3,00 m Orange: radial Black: tangential

Circuit diagram

Dimension Drawing

