

# JC131003

## Emergency Remote Pack

Skydisc™ Adjustable Wall/Ceiling Light Emergency pack for Non-dimmable (JC131001)

### Features & Benefits

- For use with the 4000K Non-dimmable Skydisc™ Adjustable Wall/Ceiling Light



CLASS II



EMERGENCY



RATING



WARRANTY

### General Information

Mounting

**Recessed**

Environment

**Indoor**

Suitable For Zones

**Outside Zone 2**

Product Group

**Emergency Remote Pack**

Product Range

**Emergency**

Trade Name

**Emergency Range**

Color Finish

**White**

Product Shape

**Rectangular**

Overall Dimensions

**199(L) x 55.2(W) x 24.5(H) mm**

Light Source

**LED**

Product Weight(kg)

**0.232**

Additional Information

**For use with JC131003 only**

Recommended Product Location

**Ceiling voids(recessed applications)**

Product Aperture Size

**60mm**

IP Rating

**IP20**

Origin of manufacturer

**Made in China**

Warranty

**2 years standard warranty extends to 3 years when registered within the first year of purchase (2 years on batteries)(See Website for terms and conditions)**

Operation Type	Maintained only
Lighting Product Type 1	Emergency Lighting
Lighting Product Type 2	Accessory

## Electrical

Voltage Rating	220-240
Operating Frequency Hz	50/60Hz
Luminaire Circuit Wattage	2.5W
Class	II
Input Electrical Connections	N(Neutral)Usw/L(Unswitched Live)Sw/L(switched Live)

## Emergency Data

LOR % in Emergency Mode	To calculate the LOR% please use the formula shown: $2.4W$ Power in EM mode $\div$ Fitting Wattage (e.g. 10W) $\times$ 100 = LOR %( $2.4 \div 10 \times 100=24\%$ )
-------------------------	---

## Battery Data

Battery Specification	2 cell LiFePO4 6.4VDC
Battery Type	Lithium Iron
Nominal Battery Current	1.5A
Charge Current	200mA
Recharge Time	16hrs
Battery Total Weight(kg)	0.42

## Thermals

Insulation Coverage	Do not cover with insulation
Operating Temperature Range °C	0 to +55

## Construction

Primary Material	Polycarbonate
------------------	---------------

## Packaging

Product carton overall dimensions(cm)	24(L)x5.8(W)x2.8(H)
Product Packaged Weight(kg)	0.268
Quantity Per Outer Carton	30
Outer carton(L)- cm	35
Outer carton(W)- cm	28.5
Outer carton(H)- cm	20
Outer carton Net weight- kg	7.86
Outer carton Gross weight- kg	8.36
Product Bar Code EAN-13 Number	5052544109478
Outer carton Bar Code ITF-14 Number	15052544109475

# Standards & Approvals

Manufactured In Accordance To

CE Marked

UKCA Marked

Date code/Purchase order No.

WEEE Symbol

Certificate Of Conformity

Accredited Members

**BS EN 60598:2015, 2-22**

**Yes**


**Yes**

**Yes**

**Yes**

**Available on request**

**LIA, ISO9001:2015, ISO14001:2015**



---

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.

Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)

Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 144 [16/09/2022]