

# JC17052

## **Wall Light**

Surface Mount Linear Wall/Path Light Grey 4000K IP65

#### **Features & Benefits**

- Suitable for interior and exterior applications
- Shallow design
- Downward illumination













**BEAM** 

CLASS II

CRI:RA

WARRANTY

#### General Information

**Product Group** 

**Product Shape** 

Mounting

Product Weight

Color Finish

Overall Dimensions

Recommended Product Location

Method Of Fix

IP Rating

Environment

Origin of manufacturer

Warranty

LED - Surface

Linear

Wall

0.27kg

**Light Grey** 

230mm (L) x 80mm (W) x 80mm (D)

Outdoor and indoor use

Back fix

**IP65** 

Outdoor

China

2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and

conditions)

#### Electrical

220-240 Voltage Rating Operating Frequency Hz 50/60Hz Luminaire Circuit Wattage 2W

Class Class II

#### **Performance Data**

Actual Lumen Output 102
Lumens Per Circuit Watt 51
CRI: Ra 85

Correlated Color Temperature 4000K

Light Distribution Detail 120-degree
Photometry Available Yes

#### Construction

Primary Material Polycarbonate

Outer Diffuser Clear Polycarbonate

### **Packaging**

Product Carton Dimensions 24cm x 4cm x 9cm

Product Packaged Weight 0.54kg

Quantity Per Outer Carton20Outer carton(L)- cm38cm

 Outer carton(W)- cm
 25.5cm

 Outer carton(H)- cm
 22cm

Outer carton overall dimensions 38cm x 25.5cm x 22cm

Outer carton Net weight- kg

Outer carton Gross weight- kg

11.08kg

12.08kg

Product Bar Code EAN-13 Number 5052544106996

Outer carton Bar Code ITF-14 Number 15052544106993

### Standards & Approvals

Manufactured In Accordance To BS60598-2-2015


CE Marked

Certificate Of Conformity available on request

Yes

Accredited Members LIA, ISO9001:2015, ISO14001:2015







JCC Lighting LTD Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex PO22 9TS Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | <a href="mailto:sales@jcc.co.uk">sales@jcc.co.uk</a> | <a href="www.jcc.co.uk">www.jcc.co.uk</a> |

This document is uncontrolled if printed, all information is subject to change

Version 12 [02 Oct 2020]