

JC17064

Spike Light

GU10 Stainless Steel Garden Spike Light 7W LED Max, IP44



Features & Benefits

- Suitable for GU10 lamps upto 7W
- Stainless Steel finish
- Lamp not supplied



CLASS I



RATING



NOT SUPPLIED



3yr

WARRANTY

General Information

Product Group

Inground

Product Range

Stainless Steel Exterior Range

Product Shape

Cylinder

Mounting

Inground

Product Weight

0.5kg

Color Finish

Stainless Steel

Overall Dimensions

Ø60.3 x 91.3 x 278mm

Recommended Product Location

Exterior

Method Of Fix

Inground

IP Rating

IP44

Environment

Outdoor

Origin of manufacturer

China

2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)

Warranty

Inground

Lighting Product Type 1

Electrical

Voltage Rating

220-240

Operating Frequency Hz

50/60Hz

Luminaire Circuit Wattage
Class
Input Electrical Connections
Dimmable
Lampholder

7W LED max
Class 1
Live, Earth, Neutral
No
GU10

Performance Data

Energy Rating

This luminaire is compatible with bulbs of the energy class A+ to E

Packaging


Product Carton Dimensions
Product Packaged Weight
Quantity Per Outer Carton
Outer carton(L)- cm
Outer carton(W)- cm
Outer carton(H)- cm
Outer carton overall dimensions
Outer carton Net weight- kg
Outer carton Gross weight- kg
Product Bar Code EAN-13 Number
Outer carton Bar Code ITF-14 Number

8 x 7 x 16cm
0.56kg
12
31
26
18
31 x 26 x 18cm
6.84kg
7.34kg
5052544107351
15052544107358

Standards & Approvals

Manufactured In Accordance To
CE Marked
WEEE Symbol
Certificate Of Conformity
Accredited Members

BS60598-1-2015
Yes
Yes
Yes
LIA, ISO9001:2015, ISO14001:2015



JCC Lighting LTD Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex PO22 9TS
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 4 [22 Sep 2020]