


JC17011

2 x 7W Surface mount up/downlight 73° beam angle IP54



Features & Benefits

- Two directional light output
- Durable die-cast aluminium construction
- IP54 protection against dust and moisture
- Stylish, contemporary design
- LED wall light with matching colour temperature and finish to the Architectural exterior range

General Information

Product Group	LED - Surface
Product Range	Architectural Exterior Range
Trade Name	Architectural
Light Source	LED
Light Source Features	Warm White
Lighting Product Type	Wall Light
Product Shape	Rectangular
Mounting	Wall
Product Weight	0.71kg
Color Finish	Black
Overall Dimensions	82 x 62 x 145cm
Recommended Product Location	Residential applications

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Method Of Fix	Surface Mounted
IP Rating	IP54
Environment	Outdoor
Origin Of Manufacture	China
Warranty	2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)
Driver Manufacturer	HEP
LED Manufacturer/Type	CREE LED 1304

Electrical

Voltage Rating	100-277
Secondary Running Current	130mA
Primary Running Current	735mA
Operating Frequency (Hz)	50/60Hz
CC or CV	CC
Luminaire Circuit Wattage	2 x 7W
Class	Class I
Output Voltage (V)	28VDC
Total Harmonic Distortion (THD)%	20.00%
EMC Compliant (EN55015)	yes
Power Factor Correction	0.9

Thermals

Room Ambient Temperature Not To Exceed	50°C
Max Driver/Ballast Ambient Temp.	67.7°C
Operating Temperature Range	from -20°C to 50°C

Performance Data

Energy Rating	A
Actual Lumen Output	1000
Lumens Per Circuit Watt	71 LpcW
LED Life (Hours) (L70)	36000
	Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	3000K
Light Distribution Detail	73-degree
Photometry Available	Yes

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Construction

Primary Material	Aluminum
Diffuser	PC
Heat Sink	Aluminium
Seal Material	Silica

Packaging


Luminaire Carton Dimensions	9 x 7 x 16cm
Quantity Per Outer Carton	12
Bar Code EAN Number	5052544079436
Packaged Weight	0.81kg

Standards & Approvals

Listings	CE
Manufactured In Accordance To	BS 60598-2015
CE Marked	Yes
Batch Coded	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk



JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk