

JC17030

15W inground spike spotlight 45° beam angle IP65 c/w 900mm cable



Features & Benefits

- Durable die-cast aluminium construction
- IP65 protection against water ingress
- Matching colour temperature and finish to the Architectural exterior range
- Pre-wired with 900mm flex

General Information

| | |
|-------------------------------------|------------------------|
| Product Group | LED - Inground |
| Product Range | Architectural Exterior |
| Trade Name | Architectural |
| Light Source | LED |
| Light Source Features | Warm White |
| Lighting Product Type | In-Ground |
| Product Shape | Round |
| Mounting | In-Ground |
| Product Weight | 0.84kg |
| Color Finish | Anthracite |
| Overall Dimensions | Ø73 x 107.5 x 380mm |
| Recommended Product Location | Residential/Commercial |
| Method Of Fix | Inground |

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
 Trading Estate, Bognor Regis, West Sussex, PO22 9TS
 Company Registration Number: 03044848 | VAT Number: 918544112
 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

| | |
|------------------------------|---|
| IP Rating | IP65 |
| Environment | Outdoor |
| Origin Of Manufacture | Made in China |
| Warranty | 2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions) |
| Driver Manufacturer | HEP |
| LED Manufacturer/Type | CREE LED 1507 |

Electrical

| | |
|---|----------------------|
| A Cable | Yes |
| Voltage Rating | 100-277 |
| Secondary Running Current | 368mA |
| Primary Running Current | 120mA |
| Operating Frequency (Hz) | 50/60Hz |
| CC or CV | CC |
| Luminaire Circuit Wattage | 15W |
| Sec - Voltage (V) | 32-55VDC |
| Class | Class 1 |
| Total Harmonic Distortion (THD)% | 20% @full load |
| Power Factor Correction | 0.9 |
| Input Electrical Connections | Live, Earth, Neutral |
| Dimmable | No |

Performance Data

| | |
|-------------------------------------|---|
| Energy Rating | A |
| Actual Lumen Output | 650 |
| Lumens Per Circuit Watt | 43 |
| LED Life (Hours) (L70) | 36,000 |
| | Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period. |
| Color Rendering Index | 80-89 |
| CRI: Ra | 80 |
| Correlated Color Temperature | 3000K |
| Light Distribution Detail | 45-degree |
| LOR (Light Output Ratio) % | 100% |
| Photometry Available | Yes |

Construction

| | |
|-------------------------|----------|
| Primary Material | Aluminum |
|-------------------------|----------|

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk


| | |
|----------|-------|
| Diffuser | Glass |
|----------|-------|

Packaging

| | |
|-----------------------------|-----------------|
| Luminaire Carton Dimensions | 12 x 10 x 22 cm |
| Quantity Per Outer Carton | 12 |
| Bar Code EAN Number | 5052544079122 |
| Packaged Weight | 0.89kg |

Standards & Approvals

| | |
|-------------------------------|-----------------------------------|
| Listings | CE |
| Manufactured In Accordance To | BS EN 60598-2015 |
| CE Marked | Yes |
| Batch Coded | Yes |
| WEEE Symbol | Yes |
| Certificate Of Conformity | Yes |
| Accredited Members | LIA, ISO 9001-2015, ISO14001-2015 |



JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk