

JC17046

15W Round wall Light 260mm 82° beam angle IP54



Features & Benefits

- Durable die-cast aluminium construction
- IP54 protection against dust and moisture
- \bullet LED wall light with matching colour temperature and finish to the Architectural exterior range

General Information

Product Group	LED - Surface
Product Range	Architectural Exterior Range
Trade Name	Architectural
Light Source	LED
Light Source Features	Warm White
Lighting Product Type	Wall Light
Product Shape	Cylinder
Mounting	Wall
Product Weight	1.4
Color Finish	Anthracite
Overall Dimensions	181 x 120 x 260mm
Recommended Product Location	External use, walkways, driveways
Method Of Fix	Fix using anchor bolts (supplied) or root mounting kit
IP Rating	IP54

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Environment	Outdoor
Origin Of Manufacture	China
Warranty	2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)
Driver Manufacturer	HEP
LED Manufacturer/Type	CREE LED 1507

Electrical

Voltage Rating	100-277
Secondary Running Current	368mA
Primary Running Current	240/120mA
Operating Frequency (Hz)	50/60Hz
CC or CV	CC
Luminaire Circuit Wattage	15W
Class - Safety Extra Low Voltage	Class 1
Total Harmonic Distortion (THD)%	20
EMC Compliant (EN55015)	Yes
Power Factor Correction	0.9
Dimmable	No

Thermals

Room Ambient Temperature Not To Exceed	50° C
Operating Temperature Range	-20° C to +50° C

Performance Data

Energy Rating	В
Actual Lumen Output	400
Lumens Per Circuit Watt	27
LED Life (Hours) (L70)	36000
	Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	3000K
Light Distribution Detail	82-degree
Photometry Available	Yes

Construction

Primary Material	Aluminum
------------------	----------

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Diffuser	PC
Seal Material	Silica/Rubber

Packaging


Luminaire Carton Dimensions	20.5 x 14.5 x 29.5cm
Quantity Per Outer Carton	4
Bar Code EAN Number	5052544079535
Packaged Weight	2.15kg

Standards & Approvals

Listings	CE
Manufactured In Accordance To	BS60598-2-2015
CE Marked	Yes
Batch Coded	Yes
WEEE Symbol	Yes
Accredited Members	LIA, ISO9001:2015, ISO14001:2015

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS



Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS